Shu Powders Africa PTY. LTD Logra Industrial Park, No.40 Track 94040, Harrison Flats Old Main Road, Cato Ridge, KwaZulu Natal 3680 South Africa Postnet Suite 10015, Private Bag X7005, Hillcrest, 3650

Vat No: 4150236521 CK No: 2007/000865/07

Granulated Extra Fine Cobalt Powder

SAFETY DATA SHEET

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1 Product identifier

Product Name Granulated Extra Fine Cobalt Powder.

Product Code GEF
Chemical Name Cobalt.
Chemical Family Metal.
Chemical Formula Co.

Synonym(s) Cobalt metal Powder.

CAS No. 7440-48-4. EINECS No. 231-158-0.

REACH Registration No. 01-2119517392-44-0012

1.2 Relevant identified uses of the substance or mixture and uses

advised against

Identified use(s) See Section: 7.3.
Uses advised against None known.

1.3 Details of the supplier of the Safety

Data Sheet

Company Identification Shu Powders Africa (Pty)Ltd

Logra Industrial Park

40 Track 94040 Harrison Flats Old Main Road Cato Ridge

Kwa-Zulu Natal

3680

South Africa

Telephone +27 (0)31 782 1061

E-Mail <u>sheq.queries@shusa.co.za</u>

1.4 Emergency telephone number

Emergency Phone No. (24/7/365)

Chem Tel - United States, Canada, 1-800-255-3924

Puerto Rico, US Virgin Islands

Chem Tel – International Access +01-813-248-0585

Page 1 of 12

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1

Regulation (EC) No. 1272/2008 (CLP) Respiratory Sensitisation Category 1B H334; May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

Skin Sensitisation Category 1 H317; May cause

an allergic skin reaction.

Eye irritant Category 2 H319; Causes serious eye

irritation

Reproductive toxicity Category 2 H361f;

Suspected of damaging fertility. Specific effect:

Fertility impairment in males.

Aquatic Acute Category1 H400; Very toxic to

aquatic life.

Aquatic Chronic Category 1 H410; Very toxic to

aquatic life with long lasting effects.

Directive 67/548/EEC & Directive 2.1.2 1999/45/EC

Xn R42/43; May cause sensitization by inhalation

and skin contact.

Xi R36; Irritating to eyes.

Repr. Cat 3 R62; Possible risk of impaired fertility. N R50/53; Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

2.2 Label elements

Product Name Hazard Pictogram Granulated Extra Fine Cobalt Powder.





GHS 08

GHS 09

Signal word(s)

Danger.

Hazard statement(s)

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H334: May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

H361f: Suspected of damaging fertility.

H410: Very toxic to aquatic life with long lasting

effects.

Precautionary statement(s)

P210: Keep away from heat/sparks/open

flames/hot surfaces/no smoking. P261: Avoid breathing dust.

P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. P285: In case of inadequate ventilation wear

respiratory protection.

P501: Dispose of contents/container to an

Revision Date: 02 October 2013 Former Date: 15 March 2013 Rev. 4

Page 2 of 12

approved waste disposal plant.

P201: Obtain special instructions before use. P202: Do not handle until all safety precautions

have been read and understood.

P264: Wash hands thoroughly after handling. P272: Contaminated work clothing should not be allowed out of the workplace.

P363: Wash contaminated clothing before reuse.

P391: Collect spillage. P405: Store locked up

P302 + P352: IF ON SKIN: Wash with plenty of

soap and water.

P304 + P341: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue Rinsing.

P308 + P313: IF exposed or concerned: Get

medical attention or advice.

P333 + P313: If skin irritation or rash occurs: Get

medical advice/attention.

P342 + P311: If experiencing respiratory symptoms: Call a poison center or

doctor/physician.

P342 + P311: If experiencing respiratory symptoms: Call a POISON CENTRE or

doctor/physician.

Not classified as PBT or vPvB.

For full text of H/P statements and R/S phrases

see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substances

2.3

2.4

EC Classification No. 1272/2008

Other hazards

Additional Information

Hazardous ingredient(s)	%W/W	EINECS No.	REACH Registration No.	GHS classification	EC Classification and R Phrases
Cobalt 7440-48-4	98	231-158-0	01-2119517392-44-0012	Resp. Sens. 1B;H334, Eye Irr.2; 319 Skin Sens. 1; H317, Repr.2; H361f Aquatic Acute 1;H400, Aquatic Chronic 1; H410. M-factor: 10.	Repr. Cat 3; R62,Xi;R36 Xn R42/43,N;R50/53.

Revision Date: 02 October 2013 Former Date: 15 March 2013 Rev. 4

Page 3 of 12

Paraffin Wax 8002-74-2	2	-	-	-	-	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

> Inhalation IF INHALED: If breathing is difficult, remove

> > victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing

respiratory symptoms: Call a POISON CENTRE

or doctor/physician.

Skin Contact IF ON SKIN: Wash with plenty of soap and

> water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical

advice/attention.

Eye Contact Hold eyelids apart and flush eyes with plenty of

> water for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion If swallowed, rinse mouth with water (only if the

person is conscious). If symptoms persist, obtain

medical attention.

4.2 Most important symptoms and effects, Inhalation: Cough, Sore throat, Wheezing,

both acute and delayed

Increased difficulty in breathing. Ingestion: Abdominal pain, Vomiting.

Eye Contact: Redness. No special requirements.

Indication of immediate medical attention and special treatment

needed

5.2

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media As appropriate for surrounding fire. Extinguish

with dry chemical, carbon dioxide.

Unsuitable Extinguishing Media

Special hazards arising from the

substance or mixture

In the event of a fire the following can be

released: Cobalt oxide dust, Acrid Smoke, Metal

Fumes.

5.3 Advice for fire-fighters Fire fighters should wear complete protective

> clothing including self-contained breathing apparatus. Dike fire control water for later disposal. Do not allow to enter drains, sewers or

watercourses.

Revision Date: 02 October 2013 Former Date: 15 March 2013 Rev. 4

Page 4 of 12

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

6.4 Reference to other sections

Ensure adequate ventilation. Avoid breathing dust. Wear appropriate personal protective equipment, avoid direct contact.

Spillages or uncontrolled discharges into

watercourses must be alerted to the appropriate regulatory body.

Sweep spilled substances into containers if appropriate moisten first to prevent dusting. Use vacuum equipment for collecting spilt materials, where practicable. Collect spillage. Transfer to a lidded container for disposal or recovery.

For handling advice see section 7. For personal protection see section 8. For waste disposal see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Provide adequate ventilation. Avoid breathing dust. Keep away from fire, sparks and heated surfaces. Contaminated work clothing should not be allowed out of the workplace. In case of inadequate ventilation wear respiratory protection. Wear protective gloves/protective clothing/eye protection/face protection. See Section: 8.

7.2 Conditions for safe storage, including any incompatibilities

Storage Temperature Storage Life Incompatible materials

7.3 Specific end use(s)

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat. Ambient.

Stable under normal conditions. Acids, Strong oxidising agents.

- Manufacture of cobalt
- Use of cobalt in the manufacture of inorganic cobalt substances
- Use of cobalt in the manufacture of cobalt carboxylates and resinates
- Manufacture of cobalt in the catalyst industry
- Industrial use of cobalt as catalyst
- Manufacture and industrial use of cobalt containing alloys, steels and tools
- Industrial use of cobalt in surface treatment processes
- Manufacture and industrial use of batteries using cobalt
- Industrial use of cobalt in the manufacture of inorganic pigments & frits, glass, ceramic ware, varistors and magnets (calcination/sintering processes)
- Manufacture and industrial use of coatings and inks using cobalt as drier and/or pigment
- Industrial use of cobalt in the production of diamond tools
- Welding in industrial and/or professional

Revision Date: 02 October 2013 Former Date: 15 March 2013 Rev. 4

Page **5** of **12**

- settings
- Professional use of dental alloys containing cobalt
- Professional use of diamond tools and other cobalt-containing tools
- Production of hardmetal powder
- Production of sintered hardmetal-containing articles
- Waste stage: Recycling of hardmetalcontaining scrap materials

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
Cobalt	7440-	-	0.1	-	-	WEL, OEL (United
	48-4					Kingdom)
		-	0.05	-	-	Co, HTP 2009 Finland
		-	0.1	-	-	OSHA, USA
		-	0.05	-	-	NIOSH, USA
		-	0.02	-	-	TLV (ACGIH), USA
		-	0.05	-	-	NOHSC, Australia
		-	0.1	-	-	Minister of Labour,
						South Africa
		-	0.02	-	-	SER, Netherlands

8.1.2 Biological limit value

Not established.

8.1.3 PNECs and DNELs

DNEL	Oral	Inhalation	Dermal
Industry - Long Term – Local effects	-	40 μg/m³	-
Industry - Long Term - Systemic effects	-	-	-
Industry - Short term - Local effects	-	-	-
Industry - Short term - Systemic effects	-	-	-
Consumer - Long Term - Local effects	-	6.3 µg/m³	-
Consumer - Long Term - Systemic effects	9.5 µg/kg bw/day	-	-
Consumer - Short term - Local effects	-	-	-
Consumer - Short term - Systemic effects	-	-	-

	Predicted No effect Concentration (PNEC)
Aquatic Compartment	0.51μg/l (Fresh water).
Marine Compartment	2.36 μg Co/L
Aquatic Compartment - sediment	11.2 mg Co/kg sediment dry wt
Aquatic Compartment – sediment, Added	9.5 mg Co/kg sediment dry wt
Risk Approach	
Marine Compartment - sediment	9.5 mg Co/kg sediment dry wt
Terrestrial Compartment	7.9 mg/kg Soil dw.

Revision Date: 02 October 2013 Former Date: 15 March 2013 Rev. 4

Page **6** of **12**

Sewage Treatment Plant -	0.373 mg Co/L	
microorganisms		
Atmospheric Compartment	-	

8.2 Exposure controls

8.2.1 Appropriate engineering controls Provide adequate ventilation.

8.2.2 Personal protection equipment

Eye/face protection Wear eye protection with side protection

(EN166).

Skin protection (Hand protection/ Other) Wear protective clothing and gloves: Butyl

rubber, Neoprene, PVC.

Respiratory protection A suitable dust mask or dust respirator with filter

type P (EN143 or EN405) may be appropriate.

Thermal hazards Not applicable.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Powder. Colour Silver-Grey. Odour Odourless. Odour Threshold (ppm) Not established. pH (Value) Not applicable. Melting Point (°C) 1494°C @1013hPa. Boiling point/boiling range (°C): 2927°C @1013hPa. Flash Point (°C) Not applicable. Not applicable. Evaporation rate

Flammability (solid) The product is not flammable.

Explosive limit ranges. Not available. Vapour Pressure (mm Hg) Not applicable. Not applicable. Vapour Density (Air=1) 8.89 @ 20°C. Relative Density Solubility (Water) 2.94mg/l @ 20°C. Not available. Solubility (Other) Partition Coefficient (n-Octanol/water) Not available. Auto Ignition Temperature (°C) Not applicable. Decomposition Temperature (°C) Not available. Viscosity (mPa.s) Not applicable. Explosive properties Not applicable. Oxidising properties Not oxidising.

9.2 Other information None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity
 10.2 Chemical stability
 10.3 Possibility of hazardous reactions
 10.4 Conditions to avoid
 10.5 Incompatible materials
 Stable under normal conditions.
 Stable under normal conditions.
 Heat and dust generation.
 Acids, Strong oxidising agents.

10.6 Hazardous Decomposition Product(s) Cobalt oxide dust, Acrid smoke, Metal fumes.

Page 7 of 12

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Ingestion LD50(rat) = 7510mg/kg. Low oral toxicity. Main

Symptoms: Abdominal pain, Vomiting.

Inhalation Low acute toxicity. Main Symptoms: Cough,

Sore throat, Wheezing, Increased difficulty in

breathing.

Skin Contact LD50(Dermal) >2000mg/kg. Low acute toxicity. Eye Contact Low acute toxicity. Main Symptoms: Redness. Skin corrosion/irritation Not classified. OECD TG 439:95.1% (Non

Irritant)

Serious eye damage/irritation Eye Irrit. 2; causes serious eye irritation OECD

TG 437:1.79 (Irritation)

Respiratory or skin sensitization Resp. Sens. 1B; May cause allergy or asthma

symptoms or breathing difficulties if inhaled. Skin Sens. 1; May cause an allergic skin

reaction.

Mutagenicity There is no evidence of mutagenic potential.

Carcinogenicity No evidence of carcinogenicity.

Reproductive toxicity Repr. 2; Suspected of damaging fertility.

Specific effect: fertility impairment in males.

STOT - single exposure

STOT - repeated exposure

Aspiration hazard

None anticipated.

None anticipated.

11.2 Other information None.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Aquatic Acute 1; Very toxic to aquatic life.

Aquatic Chronic 1; Very toxic to aquatic life with

long lasting effects.

By analogy with similar materials: Cobalt

dichloride.

Fish: LC50 = 1.5 μ g/l (Fresh water)

Aquatic invertebrates: LC50 = 0.61 mg/l (Fresh

water); 2.32 mg/l (Sea water)

EC10 (Fresh water Fish) = 351.4 mg/l.

NOEC Aquatic invertebrates: = $5.47 \mu g/I$ (Fresh

water); 206 µg/l (Sea water)

Algae: LC50 = 144 μ g/l (Fresh water) ; 24.1 μ g/l

(Sea water)

NOEC Algae = $4.9 \,\mu\text{g/l}$ (Fresh water); $1.23 \,\mu\text{g/l}$

(Sea water).

12.2 Persistence and degradabilityThe methods for determining the biological

degradability are not applicable to inorganic

substances.

12.3 Bioaccumulative potential Aquatic plants: Bioconcentration factor (BCF):

>100 - 5000.

Aquatic invertebrates: BCF <300. Fresh water, Fish: BCF/ BAF <10.

Revision Date: 02 October 2013 Former Date: 15 March 2013 Rev. 4

Page 8 of 12

Marine, Fish: BCF/ BAF <10. The substance has low potential for

bioaccumulation.

Mobility in soil The substance is essentially insoluble in water. 12.4

Results of PBT and vPvB assessment 12.5 Not applicable. 12.6 Other adverse effects None anticipated.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Recover or recycle if possible. Dispose of

> contents/container to: Licensed recycler. Dispose of contents in accordance with local,

state or national legislation.

13.2 **Additional Information** No information available.

SECTION 14: TRANSPORT INFORMATION

	Land Transport	Sea Transport	Air Transport
14.1 UN - Number	3077	3077	3077
14.2 UN proper shipping name	Environmentally	Environmentally	Environmentally
	hazardous substance,	hazardous substance,	hazardous substance,
	solid, n.o.s.	solid, n.o.s.	solid, n.o.s.
	(Cobalt)	(Cobalt)	(Cobalt)
14.3 Transport Hazard Classes	9	9	9
14.4 Packing Group	III	III	III
14.5 Environmental hazards	Environmentally	Marine Pollutant	Environmentally
	hazardous		hazardous
14.6 Special Precautions for	None	Ems (fire): F-G	None.
users		Ems (spill):S-G	
14.7 Transport in bulk in	Not applicable.	Not applicable	Not applicable
according to Annex II of			
MARPOL 73/78 and IBC Code			

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture substance or mixture

15.1.1 **EU regulations**

> None known. Authorisations and/or restrictions on use Candidate List of Substances of Very high Not Listed.

concern for authorisation

REACH: Annex XIV List of substances subject

to authorisation

REACH: Annex XVII Restrictions on the

manufacture, placing on the market and use of certain dangerous substances, mixtures and

articles

Community Rolling Action Plan (CoRAP); Draft

29/02/2012

None known. 15.1.2 National regulations 15.2 **Chemical Safety Assessment** Available.

> **TSCA Status** All components of this product are in the US TSCA

> > inventory.

Not Listed

Not Listed.

Not Listed.

Revision Date: 02 October 2013 Former Date: 15 March 2013 Rev. 4

Page **9** of **12**

TSCA 12(b) Export NotificationNo components of this product are subject to TSCA 12(b)

export notification requirements.

California Proposition 65 This material may contain the following chemicals known

to the State of California to cause cancer or birth defects

and are subject to the requirements of California Proposition 65: Cobalt Metal Powder (7440 – 48 -4) –

Cancer

Clean Air Act S112 Extremely

Hazardous Air pollutants

Chinese Inventory

Cobalt compounds

SARA 302 Extremely Hazardous substance

list

This product does not contain greater than 1.0% of any chemical substance on the SARA Extremely Hazardous

Substance List.

SARA (311, 312) Hazard Class Chronic Health Hazard

SARA Section 313 Toxic Chemicals Cobalt Compounds 100 %

Australian Inventory Chemical Substances All components are listed on the Australian Core

Inventory of chemical Substances (ACOIN).

Canadian Inventory All Components are on the Domestic Substance List

(DSL).

EINECS Regulations All components are on the European Inventory of

Existing and New Chemical Substances (EINECS).

Japan All components are listed on the Japanese Existing and

New Chemical Substances (ENCS).

Korean Chemical Inventory

All components are on the Korean List of Existing

Chemical substances.

Philippine Inventory All components are listed on the Philippines Inventory of

Chemical and Chemical Substances (PICCS).

All Components are listed on the Chinese Inventory of

Existing Chemical Substances.

Page 10 of 12

SECTION 16: OTHER INFORMATION

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
STOT Specific Target Organ Toxicity
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration

PBT PBT: Persistent, Bioaccumulative and Toxic vPvB very Persistent and very Bioaccumulative WEL Workplace Exposure Limit (UK HSE EH40)

OEL Occupational Exposure Limits

OSHA Occupational Safety and Health Administration

NIOSH National Institute of Occupational Safety and Health

TLV (ACGIH) Threshold Limit Value (American Conference of Industrial Hygienists)

NOHSC

National Occupational Health and Safety Commission

SER

The Social and Economic Council of the Netherlands

NOEC No Observable Effect Concentration

BAF Bioaccumulation Factor
BCF Bioconcentration Factor

OECD TG Organisation for Economic Co-operation and Development Test

Guideline

Eye Irrit. 2 Serious eye damage/irritation Category 2
Resp. Sens. 1B respiratory or skin sensitization Category 1B
Skin Sens. 1 respiratory or skin sensitization Category 1

Aquatic Acute 1 Hazardous to the aquatic environment Acute Category 1
Aquatic Chronic 1 Hazardous to the aquatic environment Chronic Category 1

Xi Irritant Xn Harmful

N Hazardous to the aquatic environment

Repr. Cat 3 Reproductive toxicity category 3

Risk Phrases

R42/43 May cause sensitization by inhalation and skin contact.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects

in the aquatic environment.

R36 Irritating to eyes.

R62 Possible risk of impaired fertility.

Hazard statement(s)

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H228 Flammable solid

H319 Causes serious eye irritation H361f Suspected of damaging fertility.

Page 11 of 12



GHS09



Sources of Key data used to compile the Data Sheet:

Chemical Safety Report

Disclaimer of expressed and implied Warranties

The information in this document is believed to be correct as of the data issued. However, no warranty of merchantability, fitness for any particular purpose, of any other warranty is expressed or is to be implied regarding the accuracy or completeness of this information, the results to be obtained from the use of this information or the product, the safety of this product, or the hazards related to its use. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assumes the risk of his use thereof.

Page 12 of 12